

M P STATE ELECTRONICS DEVELOPMENT CORPORATION LTD.
(A Govt. of M.P Undertaking)

Tender Document

For

Supply and Installation of Calibrators for Testing and Calibration
of Equipments as per BIS Standard at MPSEDC Calibration
Lab, Bhopal (M.P.)
(Tender No. MPSEDC/ETDC/2015/303 Dated 29/12/2015)

M.P. State Electronics Development Corporation Ltd.
47-A, Arera Hills, Bhopal-462011 (M.P.)
Ph.0755-2518300,2518754
Fax: 0755-2579824

INVITATION FOR BIDS

Chief General Manager, MPSEDC Ltd., Bhopal invites sealed bids, from bidders for Supply and Installation of Equipments for Testing and Calibration of Equipments as per BIS Standard at MPSEDC Calibration Lab, Bhopal(M.P.).Interested bidders may obtain further information from the office of MPSEDC Ltd.; Bhopal. Bids are invited for the work mentioned hereunder:

Sl. No.	Items	Description
1	Scope of Work:	Supply and Installation of Equipments for Testing and Calibration of Equipments as per BIS Standard at MPSEDC Calibration Lab,Bhopal(M.P.).
2	Cost of tender document:	Rs 1500.00 (non-refundable)online.
3	Processing Fee:	Rs 250.00 plus Service Tax.
4	Download of tender documents:	Date 30 th December 2015 to 20 th January 2016
5	Date of Pre-Bid Conference:	7 th January 2016 at 3.00PM.
6	Venue of Pre-Bid Conference:	Conference Room, 2nd Floor, State IT Centre, 47 A ,Arera Hills, Bhopal, Madhya Pradesh.
7	Email address to send the Pre-bid queries	kcnandanan@mpsedc.com
8	Last date of submission of Bid:	20/01/2016 up to 3.00 PM.
9	Date of opening of technical bid:	20/01/2016 at 4.00 PM.
10	EMD:	Rs 50000.00 to be submitted Online.
11	Address for communication:	MPSEDC LTD., State IT Centre, 47-A, Arera Hills, BHOPAL (M.P.) 462011.

Note: Tender document can be viewed/ downloaded from the website www.mpeproc.gov.in, www.mpsedc.com, <http://mapit.gov.in/> and <http://dit.mp.gov.in/>. Tenderer has to submit the document fee, processing fee and EMD amount Online.

***All further notifications/amendments shall be posted on www.mpeproc.gov.in only.**

Letter for Submission of Tender

To,

Dated -----, 2015.

**Chief General Manager
MPSEDC Ltd.,
State IT Centre
47-A, Arera Hills
Bhopal (M P).**

Ref: Supply and Installation of Calibrators for Testing and Calibration of Equipments as per BIS Standard at MPSEDC Calibration Lab,Bhopal(M.P.) against Tender No MPSEDC/ETDC/2015/303 dated 29/12/2015 due for opening on 20/01/2016.

Dear Sir,

Having examined the tender document relating to the Supply and Installation of Calibrators for Testing and Calibration of Equipments as per BIS Standard as detailed in your Tender, Conditions and scope of supply, Specifications etc., and having understood the provisions and requirements relating to the supply and all other factors governing the tender, We hereby submit our offer for the supply of the proposed items in accordance with terms and conditions and confirm our acceptance to execute the order within the time period specified in the tender document, at the rates quoted by us in the accompanying Technical & commercial Bid.

If, after the tender document is accepted, we fail to complete the supply of the items as per the order, we agree that, M/s. MPSEDC LTD. Bhopal shall have full authority to forfeit the earnest money and cancel our order with no obligation on their part.

We confirm having deposited earnest money of `...../- (Rupees only) online, and general information required is as per annexure attached.

We further confirm that -

- i. We have sufficient qualified manpower and necessary materials and after sales support to execute the order efficiently in the specified time schedule.
- ii. The quoted rates shall be valid till the completion of the order but not less than 90 days.
- iii. We further confirm that all chapters of the tender documents have been read, understood and signed and there is no deviation/discrepancy.

Signature of the Tenderer
With stamp and date

GENERAL INFORMATION AND EMD DETAILS

1	EMD Details Date of Submission of EMD online: Amount in Rs:	
2	Name and Address of the Tenderer:	
3	Contacts:	
4	Telephones:	
5	Fax:	
6	E-mail:	
7	Mobile No:	
8	Category of the Tenderer (Whether company, partnership firm or Proprietary concern)	
9	Name of Chief Executive Officer and Telephone No.	
10	Year of Establishment	
11	Sales Tax/Commercial Tax/ CST nos.	
12	Service Tax No.	
13	Income Tax PAN/GIR No.	
14	Name and Address of the Banker	
15	List of major Clients and the size of orders executed	

Note: Separate sheets may be attached wherever necessary.

Signature of the Tenderer
With stamp and date

TERMS AND CONDITIONS

Contents of Bidding Documents for the Supply and Installation of Calibrators for Testing and Calibration of Equipments as per BIS Standard as per specifications given in B O M, the bidding procedures and the terms of contract are prescribed here in under:

01. Eligibility Criteria:

The following are the conditions, which are to be necessarily fulfilled, to be eligible for evaluation of the proposed solution. Only those interested bidders who satisfy the following eligibility criteria should respond to this Tender:

- The products offered must be of high quality and manufactured by nationally / internationally reputed manufacturer having a minimum turnover of Rs. 50 Crores (Attach copy of the audited balance sheet).
- The Bidder should have proven track record in supplying the specified item(s) either as Manufacturer or Authorised Representative/Agent/Dealer in India ,on behalf of foreign Manufacturer/Principal, and shall submit a). Copies of Purchase Orders successfully executed, and b). List of Clients in India.
- In case of the representative/ dealer, the representative/dealer must attach authorization letter (in the enclosed format in the tender form from respective manufacturer for all the products quoted by him.
- Bids containing offer for equipment(s) of foreign origin, should come from the authorized dealers / Suppliers / representatives in India, when the foreign manufacturer is having no direct office in India, provided that in such cases, the quotation should be ink-signed and in the letterhead of the original foreign manufacturer, submitted/forwarded by the dealer/ agent/ representative(s), and accompanied by the document of authorization in their favour from the manufacturer.
- Bids containing offer for equipment(s) of indigenous origin, may come either, from the manufacturer or authorized agent / dealer in India. When the bidder is not the manufacturer itself, he/she must submit the copy of authorization letter from the manufacturer.
- Whenever a bidder submits bid on behalf of a foreign manufacturer, it shall be binding on that manufacturer as well.

Provided the local Indian Bidders should have due registration in the name of their firm's with the concerned govt. authorities for Sales Tax/ VAT/ Service Tax/ GST/Income Tax /TIN etc., and also furnish proofs of such documents along with proofs of clearing Income Tax/ Sales Tax/ Excise Duty/ Other taxes and duties due to the Government. The Bidders must have valid PAN /TAN Registration No. in their firm's name, with the Income Tax authorities.

02. Amendment in Bidding Document by the Competent Authority.

At any time prior to the deadline for the submission of bids, the competent authority may, for any reason, whether on it's own or in response to a clarification requested for by a prospective bidder, modify the bidding document by way of amendment(s).

All subsequent amendment, addendums if any in the bidding documents will be notified on above mentioned websites only. The amendment(s) so made shall be binding .

In order to allow reasonable time to the prospective bidders for taking into account such amendment(s), in the preparation of their bids, the competent authority, at its discretion, may extend the deadline for the submission of bids.

03. Bid Price

The bidders shall indicate on the prescribed Price Schedule, including item-wise and final Bid Price of the items listed.

Prices quoted by the Bidder should be in Indian Rupees(Rs) F.O.R.Bhopal basis and shall be fixed during the Bidder's performance of the contract and shall not be subject to variation on any account.

A bid submitted with an adjustable price will be treated as non-responsive and rejected.

04. The EMD may be forfeited:

If a Bidder withdraws its bid during the period of bid validity specified by the bidder on the bid Form: or In case of a successful Bidder, if the Bidder fails:

- (i) To accept the order
- (ii) To furnish performance security
- (ii) If the supplier, after accepting the purchase order fails to deliver the material/services as per the order.

Any alterations, erasures or overwriting shall be valid only if the person or persons signing the bid initials them.

05. Technical requirements

The technical specifications as per annexure are the minimum configuration required. Higher specifications may be considered but no price weight-age for higher specifications shall be considered.

06. Calibration Certificate.

The equipments should be accompanied with NABL calibration certificate with data.

07. Warranty support.

System should invariably be warranted for a period of minimum One year from the date of successful installation and commissioning.

08. Inspection.

Purchaser reserves the right to inspect the manufacturer/supplier works prior to supply.

SUBMISSION OF BIDS

09. Marking of Bids

The bidders shall submit EMD, technical bid (containing the technical specifications offered, literature leaflets, signed tender document etc) and commercial bid separately as per online submission process.

010. Payment:

Payment: Payment shall be released by MPSEDC as per the following terms:
Payment 100% of the value of goods supplied shall be released against supply and successful installation of Equipment & submission of performance security . The bills for the purpose of payment shall be submitted to MPSEDC, Bhopal. No interest shall be payable on delayed payments due to what so ever reason.

011. Deadline for Submission of Bids

Bids must be submitted online but not later than the time and date specified in the invitation of Bids. In the event of the specified date for the submission of bids being declared a holiday for the office of the competent authority, the bids will be received up to the appointed time on the next working day.

012. Late Bid

Any bid received after the deadline for submission of bids prescribed by the competent authority, will not be accepted.

BID OPENING AND EVALUATION OF BIDS

013. Opening of Bids

Since it is a Two-bid system, Technical bid will be opened first by the Committee constituted for this purpose. If the technical bid specifications offered, EMD and clarification asked (if any) are found in order, the Committee will open commercial bid only for the eligible bidders.
In case, the commercial bid is not opened on the same or next day of opening of technical bid the Committee may decide to open the commercial bid on subsequent dates. In such case the date, time and place of opening of commercial bid will be intimated to the bidders or their representatives.

014. Preliminary Examination

Before starting evaluation, the bids will be examined to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the bids are generally in order. In case of computational error the basic price will prevail.

If bid is determined as not substantially responsive, the competent authority will reject it and only the substantially responsive commercial bids will be considered.

The process of evaluation of bid is as follows:

- (i) The Committee, appointed by the MPSEDC LTD., will first verify that the Bid Security is in order and as per requirement of the bid. The Committee will examine the bid on Eligibility Criteria as specified. The scrutiny of technical proposals will be based on the Evaluation Criteria determined.
- (ii) The commercial bid will be opened only for the proposals, which are found eligible and technically acceptable by the Committee and approved. On the day specified for the opening of bid, the Committee, appointed by the MPSEDC LTD., will open the commercial bids of eligible bidders and scrutinize the same minutely.
- (iii) After scrutiny, the MPSEDC LTD. after having examined the proposal may accept the same or accept the bid price of any other bidder found suitable or reject all or any proposal. The decision of the MPSEDC LTD. in this regard shall be final and binding.
- (iv) The quantity mentioned in the tender document is as per our estimate. However, the department reserves the right to place order for the less/higher quantity or drop the items or segregated delivery schedule depending on the actual requirement.

015. Performance Security.

The successful bidder shall be required to submit performance guarantee equivalent to 10% of the order value for the satisfactory performance/completion of the complete order (Including warranty period), in the form of bank guarantee/Demand Draft with MPSEDC LTD.

016. Contacting the Competent Authority.

Any effort on part of a Bidder to influence the Competent Authority or members of Technical/Monitoring committee, in its decisions on bid evaluation; bid comparison or contact award may result in rejection of the bidder's bid.

017. General

- (i) Supply will be complete only when the full quantity is supplied and installed as per tender condition and accepted by us.
- (ii) Bid form shall be duly filled in, signed and complete in all respects.
- (iii) The price should be in Indian Rupees inclusive of all taxes and local levies if any on FOR destination basis.
- (iv) The rates should be free from all escalation. However, all Tax and duty benefits if applicable should be passed on to us.
- (v) Delivery period should not exceed 90 days from the date of order under any circumstances. The MPSEDC LTD. reserves the right to extend the delivery period.
- (vi) System should invariably be warranted for a period of minimum one year from the date of successful installation and commissioning.
- (vii) The manufacturer authorization should be submitted by bidder separately as per the attached form.

Bids not submitted online will be rejected.

Conditional bids are liable to be rejected.

MPSEDC LTD. does not bind themselves to accept the lowest or any other tender and reserve the right to accept or reject any or all the tender in full or in part without assigning any reason.

MANUFACTURERS AUTHORIZATION FORM

Ref No:

Dated:.....

To,
Chief General Manager
M.P. State Electronics Dev. Corp. Ltd.
47-A, Arera Hills, BHOPAL-462011

Tender No:..... Due Date:

Dear Sir,

We.....who are established and reputed Manufacturers of
.....having factories
at.....

.....(Address of the factory)

do hereby authorize M/s.....(Name & Address of agent)

to submit a bid, and subsequently negotiate and sign the contract with you against the above tender.

We hereby extend our full guarantee, warranty and support and also in meeting warranty obligations by providing necessary spares in time for the goods & services offered by the above firm against this tender, as per standard as well as MPSEDC warranty terms.

Yours faithfully

(Name)

(Name of the manufacturer)

Note: This letter of authority should be on the letterhead of the manufacturer and should be signed by a person competent and having a power of attorney to bind the manufacturer. The bidder in its bid should include it.

TECHNICAL BID

Supply and Installation of Calibrators for Testing and Calibration of Equipments as per BIS Standard at MPSEDC Calibration Lab, Bhopal (M.P.)
(Tender No. MPSEDC/ETDC/2015/303 Dated 29/12/2015)

1. 8 ½ DIGIT DIGITAL MULTIMETER

Sr. No.	PARAMETER	SPECIFICATION & MAKE/MODEL	COMPLIANCE YES/NO
1	DMM Resolution	8.5 Digit.	
2	Standard function		
A	DC Voltage	• 5 ranges: 0.1 V to 1000 V	
		• 8.5 to 4.5 digit resolution	
		• Up to 100,000 readings/sec (4.5 digits)	
		• Maximum sensitivity: 10 nV	
		• 0.6 ppm 24 hour accuracy	
		• 8 ppm (4 ppm optional)/year	
		voltage reference stability	
B	AC Voltage	• 6 ranges: 10 mV to 1000 V	
		• 1 Hz to 10 MHz bandwidth	
		• Up to 50 readings/sec with all readings to specified accuracy	
		• Choice of sampling or analog true rms techniques	
		• 100 ppm best accuracy	
C	DC Current	• 8 ranges: 100 nA to 1 A	
		• Up to 1,350 readings/sec (5.5 digits)	
		• Maximum sensitivity: 1 pA	
		• 14 ppm 24 hour accuracy	
D	AC Current	• 5 ranges: 100 μ A to 1 A	
		• 10 Hz to 100 kHz bandwidth	
		• Up to 50 readings/sec	
		• 500 ppm 24 hour accuracy	
E	Resistance	• 9 ranges: 10 Ω to 1 G Ω	
		• Two-wire and four-wire ohms with offset compensation	
		• Up to 50,000 readings/sec (5.5 digits)	
		• Maximum sensitivity: 10 $\mu\Omega$	
		• 2.2 ppm 24 hour accuracy	
F	Frequency and period	• Voltage or current ranges	
		• Frequency: 1 Hz to 10 MHz	
		• Period: 100 ns to 1 sec	
		• 0.01% accuracy	
		• ac or dc coupled	
3	Maximum speeds	• 100,000 readings/sec at 4.5 digits (16 bits)	
		• 50,000 readings/sec at 5.5 digits	
		• 6,000 readings/sec at 6.5 digits	
		• 60 readings/sec at 7.5 digits	
		• 6 readings/sec at 8.5 digits	
4	High Resolution	• 16 bits at 100,000 samples/sec	

	Digitizing	<ul style="list-style-type: none"> • Effective rates to 100 Msamples/sec • Signal bandwidth of 12 MHz • 10 ns timing with < 100 ps jitter 	
5	Digitizing capability	Standard[Low acquisition High resolution up to 28 bit]	
		Direct Sampled (DSDC, DSAC)	
		Sub sampled (SSDC, SSAC)	
6	Reading storage	Internal : 30 K Bytes (10240 Readings)Standard, 128Bytes (65536 readings)optionally	
		14 K bytes non volatile memory	
7	General math function	Null, PERC, dB,dBm, RMS, STAT, Scale, PFail, Temp conversation	
9	Faster system start-up	Multimeter Language (ML) Compatibility: A standard set of commands for the Multimeter user that consists of easily understood readable commands. Easier programming and clearer documentation to reduce system development time.	
10	Input terminals	Gold-plated tellurium copper	
11	IEEE-4888 interface	Complies with the following:	
		IEEE-488.1 Interface Standard	
		IEEE-728 Codes/Formats Standard	
		HPML (Multimeter Language)	
12	Storage temperature	-40° C to +75° C	
13	Safety Standard	Safety: IEC 348, UL 1244, CSA	
		7n: Classified under MIL-T-28800D as Type III, Class 5, Style E, and Color R.	
14	Accessories & Softwares		
15	NABL Calibration Certificate with data.		
16	Users Manual		
17	Carrying Case		
18	Warranty Minimum One Year.		

2. THREE PHASE DIGITAL POWER QUALITY ANALYZER

SI.No.	VOLTAGE INPUTS	SPECIFICATION MAKE/MODEL	COMPLIANCE YES/NO
1	Number of inputs	4 (3 phase + neutral) dc-coupled	
2	Maximum input voltage	1000 Vrms	
3	Nominal voltage range	Selectable 1 V to 1000 V	
4	Max. peak measurement voltage	6 kV (transient mode only)	
5	Input impedance	4 M Ω /5 pF	
6	Bandwidth	> 10 kHz, up to 100 kHz for transient mode	
7	Scaling	1:1, 10:1, 100:1, 1,000:1 10,000:1 and variable	
	CURRENT INPUTS		
1	Number of inputs	4 (3 phase + neutral) dc- or ac-coupled	
2	Type	Clamp or current transformer with mV output or i430flex-TF	
3	Range	0.5 Amps to 600 Amps with included i430flex-TF (with sensitivity 10x) 5 Amps to 6000 Amps with included i430flex-TF (with sensitivity 1x) 0.1 mV/A to 1 V/A and custom for use with optional ac or dc clamps	
4	Input Impedance	1M Ω	
5	Bandwidth	> 10 kHz	
6	Scaling	1:1, 10:1, 100:1, 1,000:1 10,000:1 and variable	

PARAMETERS		MEASUREMENT RANGE	RESOLUTION	ACCURACY	
VOLT					
1	Vrms (AC+DC)	1 V to 1000 V phase to neutral	0.01 V	± 0.1 % of nominal voltage	
2	Vpk	Vpk to 1400 Vpk	1V	5 % of nominal voltage	
3	Voltage Crest Factor (CF)	1.0 > 2.81	0.01	± 5 %	
4	Vrms $\frac{1}{2}$	1V to 1000V phase to neutral	0.1V	± 0.2 % of nominal voltage	
5	Vfund	1V to 1000V phase to neutral	0.1V	± 0.1 % of nominal voltage	
AMPS(Accuracy excluding clamp accuracy)					
1	Amps(AC+DC)	0.5A TO 600A	0.1A	$\pm 0.5\%$ ± 5 Counts	
2	Apk	5500 Apk	1Arms	$\pm 5\%$	
3	A Crest Factor(CF)	1 to 10	0.01	$\pm 5\%$	
4	Arms $\frac{1}{2}$	0.5A to 600A	0.1A	$\pm 0.1\%$ ± 10 Counts	
5	Afund	0.5A to 600A	0.1A	$\pm 0.1\%$ ± 10 Counts	
Hz					
1	Hz	42.500 Hz to 57.500 Hz	0.001 Hz	$\pm 0.01\text{Hz}$	
POWER					
1	Watts(VA,var)	Max 6000MW	0.1W to 1 MW	$\pm 0.1\%$ ± 10 Counts	
2	Power Factor(Cos ϕ /DPF)	0-1	0.001	$\pm 0.1\%$ @normal load conditions	

ENERGY					
1	kWh(kVAh,kvarh)	Depends on clamp scaling and V nominal	± 0.1% ±10 Counts		
2	Energy loss	Depends on clamp scaling and V nominal	± 0.1% ±10 Counts Excluding Line Resistance Accuracy.		
HARMONICS					
1	Measurement of Hi-Order Harmonic Component	Voltage/Current	2KHz to 80 KHz.		
2	Harmonic Distortion Factor	Voltage/Current	Up to 50 th order		
3	Harmonics	Voltage,Current, Power,Voltage- Current Phase difference			
		Inter Harmonics Voltage/Current	0.5 to 49.5 th Order		
FLICKER					
1	Plt, Pst, Pst(1min) Pinst	0.00 to 20.00	0.01	± 5 %	
UNBALANCE					
1	Volts	0.0% To 20.0%	0.1%	± 0.1 %	
2	Amps	0.0% To 20.0%	0.1%	± 1 %	
MAIN SIGNALLING					
1	Threshold Levels	Threshold, limits and signaling duration programable for two signaling frequencies			
2	Signaling frequency	60Hz to 3000Hz	0.1Hz		
3	Relative V%	0% to 100%	0.10%	± 4 %	
4	Absolute V3s(3second avg.)	0.0V to 1000 V	0.1V	± 5 % of nominal value	
GENERAL SPECIFICATION					
1	Case	Design Rugged, shock proof with integrated protective holster Drip and dust proof IP51 according to IEC60529 when used in tilt stand position Shock and vibration Shock 30 g, vibration: 3 g sinusoid, random 0.03 g2/Hz according to MIL-PRF-28800F Class 2			
2	Display				
3	Memory				
4	Real Time Clock				
5	Accessories				
6	Power Cables				
7	Leads				
8	Flexible Current Probes				
9	Users/Installation Manual				
10	Memory, Software and PC Connection				
11	NABL Calibration Certificate with Data				
12	Carrying Case.				

3. DUAL DC PROGRAMMABLE POWER SUPPLY.

Sr No.	PARAMETER	SPECIFICATION MAKE/MODEL	COMPLIANCE YES/NO
	DC output ratings		
1	Voltage	60 V	
2	Current	12.5 A	
3	Power	750 W	
	Output ripple and noise		
4	CV p-p	60 mV	
5	CV rms	8 mV	
	Load effect		
6	Voltage	8 mV	
7	Current	7.5mA	
	Source effect		
8	Voltage	8 mV	
9	Current	3.25 mA	
	Programming accuracy		
10	Voltage 0.05%+	30 mV	
11	Current 0.1%+	12.5 mA	
	Measurement accuracy		
12	Voltage 0.1%+	60 mV	
13	Current 0.1%+	37.5 mA	
14	Load transient recovery time	≤1 ms	
	Over-voltage protection		
15	Range	5–66 V	
16	Accuracy	0.60 V	
	Front panel display accuracy (4 digits; ±1 count)		
17	Voltage	0.3 V	
18	Current	0.0625 A	
19	Parallel operation	Up to 4 units can be connected in master/slave mode	
20	Series operation	Up to 2 units can be connected in series	
21	Store-recall states	Volatile memory locations: 16	
	Regulatory compliance		
22	EMC	European EMC directive 89/336/EEC for Class A products	
23	Safety	European Low Voltage Directive 73/23/EEC	
24	Operating temperature	0°C to 40°C @ 100% load	
25	Warranty	3 Years	
26	Accessories		

4. DUAL DC ELECTRONIC LOAD.

Sr. No.	PARAMETERS	SPECIFICATION & MAKE/MODEL	COMPLIANCE YES/NO
1	DC Input ratings		
a	Current :	0 to 60 A	
b	Voltage :	0 to 150 V	
c	Maximum power :	500 W	
2	Constant current mode		
a	Ranges	0 to 6 A, 0 to 60 A	
b	Accuracy	0.1% ± 7.5 Ma/15mA	
c	Regulation	10 mA	
3	Constant voltage mode		
a	Ranges	15V/150V	
b	Accuracy	0.1% ± 10 mV/20mV	
c	Regulation	10 mV	
4	Constant resistance mode		
a	Ranges	0.033- 5 Ω 4.5- 50 Ω 45- 500 Ω 450- 2500 Ω	
5	Accessories		
6	NABL Calibration Certificate with Data		
7	Users Manual/Software		
8	Warranty One Year Minimum		

5. THREE PHASE AIR COOLED VARIAC.

SI.No.	PARAMETER	SPECIFICATION	COMPLIANCE YES/NO
1.	Input Voltage	415 V 50-60Hz 3 Phase 4 Wire AC	
2.	Output Voltage	0-470 Volt continuously Variable.	
3.	Type	Portable Type Air cooled motorized operation	
4.	Maximum current rating	20 Amp continuous.	
5.	Operating Temperature	0°-45°C	
6.	Insulation Resistance	Not less than 5 Mega Ohms or better	
7.	Die electric Test	2.5 KV RMS for 1 Minute or better.	
8.	Storage Temperature	-9°C - 70°C	
9.	Accessories		
10	Operating Manual		
11.	NABL Calibration Certificate with Data		
12.	Warranty One Year Minimum		

The specifications given above are indicative and not intended to be manufacturer specific. Any suggestions for change in specifications can be given as queries before pre bid meeting. The bidder may offer deviations if any. The deviations may or may not be accepted at the discretion of MPSEDC.

Signature of the Tenderer
With stamp and date

PRICE BID

Supply and Installation of Calibrators for Testing and Calibration of Equipments as per BIS Standard at MPSEDC Calibration Lab, Bhopal (M.P.)
(Tender No. MPSEDC/ETDC/2015/303 Dated 29/12/2015)

Sl.No.	Description, Make & Model	Qty	Rate ₹.	Tax & Duties ₹.	Amount ₹.
1	8 ½ DIGIT DIGITAL MULTIMETER	01			
2	3 PHASE DIGITAL POWER QUALITY ANALYZER	01			
3	DUAL DC PROGRAMMABLE POWER SUPPLY	01			
4	DUAL DC ELECTRONIC LOAD	01			
5	THREE PHASE AIR COOLED VARIAC	01			

We agree to supply the above goods in accordance with the technical specifications for a total contract price of within the period specified in the invitation of NIT.

Signature of the Tenderer
With stamp and date

Supply and Installation of calibrators for testing and calibration of equipments as per BIS standard for MPSEDC Calibration Lab Bhopal (M.P.)(Tender no. MPSEDC/ETDC/2015/303 Dated 29/12/2015)

CHECKLIST OF SUBMISSION OF DOCUMENTS

BIDDER NAME:

Sl. No.	Particulars	Document Submission Status	Page No in Tender offer submitted
a	Tender document with sign & seal of bidder(scanned copy)		
b	Document of Incorporation of Bidder		
c	Tin No of Bidder		
d	Service Tax No. of Bidder		
e	PAN No. of Bidder		
f	Balance Sheet & Profit & Loss A/c of Last 3 years of Bidder		
g	Copy of the audited balance sheet of Manufacturer		
h	Certificate - ISO 9001-14001, ISO 9001-2008		
i	List of clients of Bidder (including size of orders executed)		
j	Manufacturer's Authorization of items quoted		
k	Technical Compliance on the manufacturers letter head with make & model		
l	Satisfactory completion Certificate along with the work order for the Supply, Installation of similar equipments.		